

# CERTIFIKATE OF FACTORY PRODUCTION CONTROL

## No. REG2-0008-01-ZGPro-1-19-B

Issued: 10.12.2019

Replace the issue from: 23.04.2019

**Producer** POMGRAD, gradbeno podjetje d.d.,  
Bakovska ulica 31, 9000 Murska Sobota

**Production place** POMGRAD d.d., DE ABI, Lipovci 250A, 9231 Beltinci

**Construction product** Concrete  
**According to standard** SIST EN 206:2013+A1:2016 and SIST 1026:2016

No.	Recepy	Concrete type	Validity of recipy
1	R-28	C25/30 XC2 Cl0,1 Dmax16 S4	valid
2	18	C30/37 XC4/XD3/XF1 Cl0,1 Dmax16 S4	valid
3	R-30	C30/37 XC4/XD2/XA1 Cl0,1 Dmax16 S4	valid
4	R-34	C40/50 XC4/XD3/XA1 Cl0,1 Dmax16 S4	valid
5	R-35	C50/60 XC4/XD3/XA1 Cl0,1 Dmax16 S4	valid
6	32	C30/37 XC4/XD3/XS1/XF4/XA1 Cl0,1 Dmax16 S4	valid
7	SCC 30/37	C30/37 XC4/XD2/XS1/XF1/XA1 Cl0,1 Dmax16 SF2	valid
8	SCC 40/50	C40/50 XC4/XD3/XS1/XF1/XA1 Cl0,1 Dmax16 SF2	valid
9	SCCKM 0026	C30/37 XC4/XD3/XF4/XA1 Cl0,1 Dmax16 SF2	valid
10	R-26L	C35/45 XC4/XD3/XF4/XA1 Cl0,1 Dmax16 SF2	valid
11	BP	C50/60 XC4/XD3/XS1/XF3/XA1 Cl0,1 Dmax16 SF2	valid
12	SCC 50/60	C50/60 XC4/XD3/XS1/XF1/XA1 Cl0,1 Dmax16 SF2	valid