CERTIFIKATE OF FACTORY PRODUCTION CONTROL
No. REG2-0008-01-ZGPro-1-107-B

Issued: 29.01.2020
Replace the issue from: 05.09.2019

Producer	**Gradbeništvo Kuster d.o.o.** **Gmajna 55, 2380 Slovenj Gradec**
Production place	**Betonarna Sv. Vid, 2367 Vuzenica**
Construction product	Concrete
According to standard	**SIST EN 206:2013+A1:2016 in SIST 1026:2016**

No.	Recepy	Concrete type	Validity of recipy
1	152 TA	C12/15 X0 Cl0,1 Dmax16 S2	valid
2	202 TA	C16/20 X0 Cl0,1 Dmax16 S3	valid
3	252 TA	C20/25 XC1 Cl 0,1 Dmax16 S3	valid
4	252 CA	C20/25 XC1 Cl0,1 Dmax16 S3	valid
5	302T	C25/30 XC1 Cl 0,1 Dmax16 S3	valid
6	302 A	C25/30 XC2 Cl0,1 Dmax16 S3	valid
7	303 TA	C25/30 XC2 Cl0,1 Dmax32 S3	valid
8	372 CA	C30/37 XC4/XD2/XF1/XA1 Cl0,1 Dmax16 S3	valid
9	452	C35/45 XC1 Cl0,1 Dmax16 S3	valid