

CERTIFIKATE OF COMFORMITY OF FACTORY PRODUCTION CONTROL No. REG2-0008-01-ZGPro-1-109-B

Issued: 01.10.2019

Replace the issue from: 14.08.2019

Producer **Beton Plus d.o.o.**
Savska cesta 29, 4240 Radovljica

Production place **Concrete plant Ocmer, Graben, 4240 Radovljica**

Construction product **Concrete**
According to standard **SIST EN 206:2013+A1:2016 and SIST 1026:2016**

No.	Recepy	Concrete type	Validity of recipy
Concrete family 06			
1	001OG	C12/15 X0 Cl 0,2 Dmax16 S2	valid
2	002OG	C16/20 X0 Cl 0,2 Dmax16 S2	valid
3	003OG	C16/20 X0 Cl 0,2 Dmax32 S2	valid
4	004OG	C20/25 X0 Cl 0,2 Dmax16 S2	valid
5	005OG	C20/25 X0 Cl 0,2 Dmax32 S2	valid
Concrete family 07			
6	006OG	C25/30 XC1 Cl 0,2 Dmax16 S2	valid
7	007OG	C25/30 XC1 Cl 0,2 Dmax32 S2	valid
8	008OG	C25/30 XC2 Cl 0,2 Dmax16 S3	valid
9	009OG	C25/30 XC2 Cl 0,2 Dmax32 S3	valid
Concrete family 08			
10	024OG	C16/20 X0 Cl 0,2 Dmax8 S1	valid
11	025OG	C25/30 X0 Cl 0,2 Dmax8 S1	valid
12	033OG	C25/30 X0 Cl 0,2 Dmax8 S3	valid
Concrete family 09			
13	012OG	C30/37 XC4/XD2/XF1/XA1 Cl 0,2 Dmax16 S3	valid
14	013OG	C30/37 XC4/XD2/XF1/XA1 Cl 0,2 Dmax32 S3	valid
15	014OG	C40/50 XC4/XD2/XF1/XA1 Cl 0,2 Dmax16 S4	valid
16	015OG	C40/50 XC4/XD2/XF1/XA1 Cl 0,2 Dmax32 S4	valid
Concrete family 10			
17	016OG	C30/37 XC4/XD3/XF3/XF4/XA1 Cl 0,2 Dmax16 S4	valid
18	017OG	C30/37 XC4/XD3/XF3/XF4/XA1 Cl 0,2 Dmax32 S4	valid
19	021 OG	C35/45 XC4/XD3/XF3/XF4/XA1 Cl 0,2 Dmax16 S4	valid